

ROTORCRAFT DESCRIPTION

DESCRIPTION:

DATE February 17, 2009

PAINT FINISH DATA

BASE: COLOR White

MFGR. Glasureit CODE 89101

TRIM: COLOR _____

MFGR _____ CODE _____

COLOR _____

MFGR _____ CODE _____

COLOR _____

MFGR _____ CODE _____

KEY PK-832 CODE _____

REG. NO. N2110J

MODEL 269C-1

SERIAL NUMBER 0361

SEATING CAPACITY 2

WEIGHT EMPTY 1156 Lbs.

WEIGHT LOADED 1750 Lbs.

OWNER _____

ADDRESS _____

CITY _____

STATE _____

ROTORCRAFT LOG
N2110J 01/13/14 2965.0 H.M. 2965.0 ACFT. T.T. W/O# 26142

100/600-HOUR/ANNUAL INSPECTION COMPLETED IN ACCORDANCE WITH SIKORSKY269C-1 H.M.I. INSPECTION CHECKLIST AND LUBE CHART. BALANCED TAIL ROTOR TO .14 IPS. **PERFORMED TORQUE CHECK OF TAIL ROTOR FLAPPING HINGE NUT. PERFORMED LOWER PULLEY BEARING INSPECTION AND LUBRICATION. PERFORMED INSPECTION OF ALERTS SYSTEM IAW 407GAU-ICA-0 INSTRUCTIONS FOR CONTINUED AIRWORTHINESS-INSPECTED ANTENNA, WIRING, CARD READER FOR DAMAGE, CONDITION AND SECURITY-INSTALLED NEW ALERTS DOOR (P/N 352007-000002) NEW PIN (P/N 352015-000001). COMPLIED WITH BAMA 14-01-01 MAIN ROTOR MAST LUG INSPECTION. REMOVED MAIN ROTOR BLADES FOR INSPECTION AND REINSTALLED. INSTALLED SERVICEABLE MAIN ROTOR SWASHPLATE ASSEMBLY (P/N 269A1333-13). INSTALLED NEW MAIN ROTOR PITCH BEARING SET (P/N 269A1231 S/N 16388) IN PITCH HOUSING (S/N S1655), NEW PITCH BEARING SET (S/N 16351) IN PITCH HOUSING (S/N S1647). INSTALLED NEW MAIN ROTOR STATIONARY SCISSOR ARM ASSEMBLY (P/N 269A1311-801). INSTALLED 4 NEW MAIN ROTOR ROTATING SCISSOR ARM BUSHINGS (P/N 269A1312) 1 NEW BUSHING (P/N 269A1323-5). INSTALLED 2 NEW MAIN ROTOR FLAPPING HINGE BEARINGS (P/N 269A5050-71) IN PITCH HOUSING (S/N S1655 S/N S1647). INSTALLED 2 NEW BOLTS (P/N NAS6604-34D) IN MAIN ROTOR STATIONARY SCISSOR ARM. INSTALLED NEW MAIN ROTOR DROOP STOP SUPPORT ORING (P/N MS28775-134). INSTALLED NEW MAIN ROTOR GEARBOX PINION COLLAR ORING (P/N MS28775-221). INSTALLED NEW MAIN ROTOR UPPER PITCH LINK RODENDS (P/N 269A5050-92) 2 NEW LOWER PITCH LINK RODENDS (P/N 269A5050-93). **INSTALLED 3 SERVICEABLE MAIN ROTOR DAMPERS (P/N 269A1290-3 S/N 9232 S/N 8228 S/N 8269). NOMINALIZED MAIN ROTOR PITCH LINKS, MAIN ROTOR DAMPERS AND MAIN ROTOR BLADE TRIM TABS. PERFORMED MAIN ROTOR TRACK AND BALANCE. REMOVED AND REINSTALLED CO-PILOT CONTROLS. INSTALLED SERVICEABLE TAIL ROTOR PITCH CONTROL ASSEMBLY (P/N 269A6050-5 S/N S1576). PERFORMED TAIL ROTOR BLADE TRACK CHECK-OPS CHECK GOOD. PERFORMED TAIL ROTOR RIGGING CHECK-OKAY-OPS CHECK GOOD. INSTALLED NEW FWD PACKING (P/N 269A5708) NEW AFT PACKING (P/N 269A6032) IN TAIL ROTOR DRIVESHAFT. INSTALLED SERVICEABLE UPPER PULLEY ASSEMBLY (P/N 269A5505-17 S/N S0402) SERVICEABLE H-FRAME ASSEMBLY (P/N 269A5510 S/N S0155). INSTALLED NEW LOW FUEL SENDER (P/N 269A9410-5)-OPS CHECK AND LEAK CHECK GOOD. INSTALLED NEW BOOT (P/N 269A5473) NEW RETAINER (P/N 269A5509-3) ON LOWER COUPLING DRIVESHAFT. INSTALLED NEW BULB (P/N GE-327) IN INSTRUMENT PANEL LIGHT. INSTALLED NEW BULB (P/N GE-4553) IN LANDING LIGHT. REMOVED CLUTCH SPRING ASSEMBLY, INSPECTED, CLEANED, INSTALLED NEW RETAINER (P/N 269A5585-3) NEW BEARING JOURNAL (P/N 269A5801-17) NEW GUIDE (P/N 269A5801-3) NEW THERMO FIT TUBE (P/N 269A5590-101), REASSEMBLED AND REINSTALLED. INSPECTED CLUTCH CABLE TENSION-FOUND TO BE WITHIN LIMITS. REMOVED LINEAR ACTUATOR, REINSTALLED AND INSTALLED NEW RING TERMINAL (P/N AP36153) ON GROUND WIRE. INSTALLED FABRICATED FUEL TANK GROUND STRAP IAW AC 43.13.1B. REMOVED AND REINSTALLED COLLECTIVE MIXER CONTROL ROD. INSTALLED NEW STATIC LINE (P/N 44-P) FROM BULKHEAD TO TAILBOOM. INSTALLED NEW BEARING (P/N 269A5050-22) IN LONGITUDINAL MIXER ASSEMBLY BELLCRANK. INSTALLED SERVICEABLE SCROLL ASSEMBLY (P/N 269A8533-101). INSTALLED NEW INSTRUMENT PANEL COVERS (P/N 269A4544-5) (P/N 269A4544-6) (P/N 269A4544-1). I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH THE REQUIREMENTS OF AN ANNUAL INSPECTION AND WAS FOUND TO BE IN AN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED. THIS AIRCRAFT IS APPROVED FOR RETURN TO SERVICE UNDER THE ABOVE REFERENCED WORK ORDER.****

HRS.	
HRS.	
TURE	
D	
E NO.	

SIGNED [Signature]
For Bristow Academy, Inc. FAA Repair Station HA4R295X

LYCOMING

ENGINE LOG

S/N L-33681-51A

SSP-1872-1

ENGINE LOG

Serial No. _____

N2110J 11/25/13 2951.2 H.M. 3165.5 ENG. T.T. 966.0 S.M.O.H. W/O# 26074

REMOVED ALL SPARK PLUGS, INSPECTED, TESTED, CLEANED AND REINSTALLED ALL SPARK PLUGS IAW SIKORSKY BASIC HMI. ALL MAINTENANCE OPERATIONS COMPLETED HAVE BEEN INSPECTED AND WERE FOUND TO BE IN AN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED. THIS ENGINE IS APPROVED FOR RETURN TO SERVICE UNDER THE ABOVE REFERENCED WORK ORDER.

SIGNED [Signature]
For Bristow Academy, Inc. FAA Repair Station HA4R295X

N2110J 01/13/14 2965.0 H.M. 3179.3 ENG. T.T. 979.8 S.M.O.H. W/O# 26142

100-HOUR/ANNUAL INSPECTION COMPLETED IN ACCORDANCE WITH A 100 HOUR/ANNUAL INSPECTION CHECKLIST AND F.A.R. 43 APPENDIX D. CHANGED OIL WITH 8 QUARTS AEROSHELL 100W OIL. REMOVED, CUT OPEN, INSPECTED AND REPLACED OIL FILTER (P/N AA48108-2). COMPRESSIONS ARE #1) 79/80 #2) 80/80 #3) 78/80 #4) 79/80. CLEANED, GAPPED, TESTED AND ROTATED SPARK PLUGS. COMPLIED WITH AD 2011-26-04 FUEL LINES (STAINLESS TUBE ASSEMBLY) AND SUPPORT CLAMP INSPECTION AND INSTALLATION. PERFORMED TORQUE CHECK ON ALL ENGINE INTAKE TUBES. REMOVED LEFT AND RIGHT MAGNETOS, INSTALLED NEW PRIMARY POINTS (P/N M3637) IN LEFT MAGNETO, TIMED BOTH MAGNETOS INTERNALLY AND TIMED BOTH MAGNETOS TO 25 DEGREES B.T.D.C. INSTALLED NEW ENGINE NOSE SEAL (P/N LW-13792). INSTALLED NEW #4 FUEL LINE (P/N LW-12098-0-390). INSTALLED NEW #3 OIL SCAVENGE LINE HOSE (P/N STD-1821). INSTALLED NEW CLAMP (P/N MS21919WDG-2) ON #2 FUEL LINE. ENGINE WASHED, RUN AND LEAK CHECKED - FOUND O.K. PERFORMED IDLE MIXTURE AND IDLE SPEED CHECK. IDLE SPEED AT 1450. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH THE REQUIREMENTS OF A 100 HOUR/ANNUAL INSPECTION AND WAS FOUND TO BE IN AN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED. THIS ENGINE IS APPROVED FOR RETURN TO SERVICE UNDER THE ABOVE REFERENCED WORK ORDER.

SIGNED [Signature]
For Bristow Academy, Inc. FAA Repair Station HA4R295X

ENGINE LOG

Serial No. _____

N2110J 01/14/14 2967.2 H.M. 3181.5 ENG. T.T. 982.0 S.M.O.H. W/O# 26362

REMOVED ALL SPARK PLUGS, TESTED, CLEANED, INSPECTED, GAPPED, ROTATED AND REINSTALLED ALL SPARK PLUGS IAW SIKORSKY BASIC HMI. ALL MAINTENANCE OPERATIONS COMPLETED HAVE BEEN INSPECTED AND WERE FOUND TO BE IN AN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED. THIS ENGINE IS APPROVED FOR RETURN TO SERVICE UNDER THE ABOVE REFERENCED WORK ORDER.

SIGNED [Signature]
For Bristow Academy, Inc. FAA Repair Station HA4R295X

N2110J 01/19/14 2976.5 H.M. 3190.8 ENG. T.T. 991.3 S.M.O.H. W/O# 26408

PERFORMED ENGINE RUN, IDLE MIXTURE AND IDLE SPEED CHECK-ADJUSTED TO WITHIN LIMITS IAW SIKORSKY BASIC HMI. ALL MAINTENANCE OPERATIONS COMPLETED HAVE BEEN INSPECTED AND WERE FOUND TO BE IN AN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED. THIS ENGINE IS APPROVED FOR RETURN TO SERVICE UNDER THE ABOVE REFERENCED WORK ORDER.

SIGNED [Signature]
For Bristow Academy, Inc. FAA Repair Station HA4R295X

FACTORY INSTALLED MODEL 269C-1 (S/N 0139 & Subs.) COMPONENT SUMMARY

REFER TO HISTORY CARD (I-5165) FOR COMPONENT DATA

COMPONENT	PART NUMBER	COMPONENT	PART NUMBER
M/R BLADE	3 269A1185-001		
PITCH HOUSING ASSY	3 269A1221-007		
M/R PITCH SHAFT	3 269A1240-007		
M/R DAMPER	3 269A1290-003		
M/R MAST	269A2010-015		
T/B SUPPORT STRUT	269A2015-011		
TAIL BOOM	269A2320-015		
VERT STABILIZER (PART OF 269A2320 ASSY)	269A2402		
HORZ STABILIZER	269A2516-021		
M/R THRUST BEARING	269A5050-063		
PINION, M/R TRANS	269A5103-055		
M/R TRANSMISSION	269A5175-037		
CARRIER (PART OF 269A5194 ASSY)	269A5193-001		
HUB M/R	269A5325-1		
DRIVE SHAFT M/R	269A5326-1		
COUPLING SHAFT LWR PULLEY	269A5559-003		
TRANSMISSION T/R	269A5600-703		
INPUT SHAFT T/R	269A5626-005		
TAIL ROTOR ASSY	269A6034-021/-029		
BLADE T/R	2 269A6035-023		
SHAFT T/R DRIVE	269A6040-009		
RETENTION STRAP T/R	269A6065-507		

S-432 (FORM 1582H)
(10/02/2008) BACK

B

HISTORICAL SERVICE RECORD

COMPONENT M/R Blade
PART NUMBER 269A1185-1
SERIAL NUMBER S3072

Table with columns: MODEL (269C, 269C-1, 269D), OVERHAUL (N/A, N/A, N/A), LIFELIMIT (5500, 5500, 3050)

Lowest Life Limit Applies When Changed Between Models

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

Table with columns: INSTALLATION DATA (DATE, INSTALLED ON, BY, INSTALLED, COMPONENT HOURS) and REMOVAL DATA (DATE, REMOVED AT, COMPONENT HOURS, REASON FOR REMOVAL)

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

Table with columns: OVERHAUL, SERVICE; BULLETIN COMPLIANCE, ETC.; DESCRIPTION OF WORK PERFORMED; CERTIFYING DATA ON WORK PERFORMED (BY ACTIVITY, DATE, SIGNATURE AND CERT #)

B

A

HISTORICAL SERVICE RECORD

COMPONENT M/R Blade
PART NUMBER 269A1185-1
SERIAL NUMBER S3073

Table with columns: MODEL (269C, 269C-1, 269D), OVERHAUL (N/A, N/A, N/A), LIFELIMIT (5500, 5500, 3050)

Lowest Life Limit Applies When Changed Between Models

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

Table with columns: INSTALLATION DATA (DATE, INSTALLED ON, BY, INSTALLED, COMPONENT HOURS) and REMOVAL DATA (DATE, REMOVED AT, COMPONENT HOURS, REASON FOR REMOVAL)

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

Table with columns: OVERHAUL, SERVICE; BULLETIN COMPLIANCE, ETC.; DESCRIPTION OF WORK PERFORMED; CERTIFYING DATA ON WORK PERFORMED (BY ACTIVITY, DATE, SIGNATURE AND CERT #)

U

HISTORICAL SERVICE RECORD

COMPONENT M/R Blade
 PART NUMBER 269A1185-1
 SERIAL NUMBER 53073

MODEL	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	
LIFELIMIT	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA						REMOVAL DATA					
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
					599.1						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
04 2823	Removed & replaced the 269A1182-4T root fitting, replaced bushing in the 2T root fitting, rebalanced & then painted.	Schweizer Aircraft Corp	4.17-06	<i>[Signature]</i> N3R847L

HISTORICAL SERVICE RECORD

COMPONENT Pitch Housing Assy
 PART NUMBER 269A1221-7
 SERIAL NUMBER 21649

MODEL	269C	269C-1	269D
OVERHAUL	N/A	N/A	N/A
LIFELIMIT	N/A	N/A	N/A

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA						REMOVAL DATA					
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/4/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
PART NAME	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			DATE	ACCUMULATED TIME ON ASSEMBLY OR PART		DATE	ACCUMULATED TIME ON ASSEMBLY OR PART	SINCE NEW HOURS
PART NUMBER		COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	COMPONENT HOURS	AIRCRAFT HOURS		
NAME: PITCH HOUSING	S1647	2-4-09	0.0		N/A			
NO: 269A1220-13		0.0			ON CONDITION			
NAME: BEARING	14957	2-4-09	0.0		N/A	9-14-10	1191.2	—
NO: 269A1231		0.0			ON CONDITION	1191.2		
NAME: SHAFT	S8077	2-4-09	0.0		N/A			
NO: 269A1240-7		0.0			4000			
NAME: SPACER	S1647	2-4-09	0.0		N/A			
NO: 269A1205		0.0			ON CONDITION			
NAME: Bearing	15336	9/14/10	0.0		N/A	11-8-11	581.8	—
NO: 269A1231		ACT. 1191.2			ON CONDITION	1773.0		
NAME: BEARING	15776	11-8-11	1773.0	—	N/A	1-6-13	592.6	—
NO: 269A1231		0.0			ON CONDITION	2372.6		
NAME: Bearing	16248	1-6-13	2372.6	—	N/A ON	1-13-14	592.4	—
NO: 269A1231		0.0			CONDITION	2965.0		
NAME: BEARING	16351	1-13-14	2965.0	—	N/A ON			
NO: 269A1231		0.0			COND. FLOW			

HISTORICAL SERVICE RECORD										PAGE ____ OF ____	
COMPONENT	Pitch Housing Assy			MODEL	269C	269C-1	269D	SCHWEIZER AIRCRAFT CORP.			
PART NUMBER	269A1221-7			OVERHAUL	N/A	N/A	N/A	1250 Schweizer Rd. • Horseheads, NY 14845			
SERIAL NUMBER	S1655			LIFELIMIT	N/A	N/A	N/A	Phone: 607-739-3821 Fax: 607-796-2488			
INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/4/09	0361	269C-1	SER	0.0	0.0						
TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL											
OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.				DESCRIPTION OF WORK PERFORMED				CERTIFYING DATA ON WORK PERFORMED			
								BY ACTIVITY		DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
PART NAME PART NUMBER	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE DATE COMPONENT HOURS	INSTALLATION DATA		SCHEDULED REMOVAL DATE COMPONENT HOURS	REMOVAL DATA		
			SINCE NEW HOURS	SINCE OVERHAUL HOURS		DATE AIRCRAFT HOURS	ACCUMULATED TIME ON ASSEMBLY OR PART SINCE NEW HOURS SINCE OVERHAUL HOURS	
NAME: PITCH HOUSING NO: 269A1220-13	\$1655	2-4-09 0.0	0.0		N/A ON CONDITION			
NAME: BEARING NO: 269A1231	14707	2-4-09 0.0	0.0		N/A ON CONDITION	11-3-09 593.7	593.7	—
NAME: SHAFT NO: 269A1240-7	\$8122	2-4-09 0.0	0.0		N/A 4000	10-22-09 593.7	593.7	—
NAME: SPACER NO: 269A1205	\$1655	2-4-09 0.0	0.0		N/A ON CONDITION			
NAME: BEARING NO: 269A1231	15114	11-3-09 0.0	593.7	—	N/A ON CONDITION	9-14-10 1191.2	599.5	—
NAME: SHAFT NO: 269A1240-7	\$8173	11-3-09 0.0	593.7	—	N/A 4000			
NAME: BEARING NO: 269A1231	15518	9-14-10 ALTT 1191.2	0.0	—	N/A ON CONDITION	11-8-11 1773.0	581.8	—
NAME: BEARING NO: 269A1231	15644	11-8-11 0.0	1773.0	—	N/A ON CONDITION	1-6-13 2372.6	599.6	—

COMI
PART
SERI

DAT

OVI
BUI

For

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Pitch Housing
 PART NUMBER 269A1221-7
 SERIAL NUMBER 51655

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT					

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS

PART NAME PART NUMBER	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
		DATE COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE COMPONENT HOURS	DATE AIRCRAFT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS
NAME: <i>Blading</i> NO: <i>269A1231</i>	<i>16121</i>	<i>1-6-13</i> <i>0.0</i>	<i>ACTT</i> <i>2372.4</i>	<i>-</i>	<i>N/A ON</i> <i>CONDITION</i>	<i>1-13-14</i> <i>2965.0</i>	<i>592.4</i>	<i>-</i>
NAME: <i>BEARING</i> NO: <i>269A1231</i>	<i>16388</i>	<i>1-13-14</i> <i>0.0</i>	<i>ACTT</i> <i>2965.0</i>	<i>-</i>	<i>N/A ON</i> <i>CONDITION</i>			
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

A

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Pitch Shaft
PART NUMBER 269A1240-7
SERIAL NUMBER 8111

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3600	4000	4000	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
<i>7/4/09</i>	<i>0.361</i>	<i>269C-1</i>	<i>SER</i>	<i>0.0</i>	<i>0.0</i>						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT M/R Damper
 PART NUMBER 269A1290-3
 SERIAL NUMBER 8228

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	6000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
4/15/05	0208	269C-1	SZR	0.0	0	NEW	5-6-13	4543.7	4543.7	---	TROUBLESHOOTING
5-6-13	0208	269C-1	BRA	4543.7	4543.7	---	5-16-13	4543.7	4543.7	---	TRACK & BALANCE
5-20-13	0235	269C-1	BRA	4368.1	4543.7	---	8-2-13	4449.8	4625.4	---	INSPECTION
1-13-14	0361	269C-1	BRA	2965.0	4625.4	---					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT M/R Damper
 PART NUMBER 269A1290-3
 SERIAL NUMBER 8269

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	6000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
4/13/05	0207	269C-1	SZR	0.0	0	NEW	11-4-09	3343.1	3343.1	---	CENTER DEBONDING CORRECTION
3/28/11	0232	269C-1	BRA	3812.0	3343.1	---	3/28/11	3814.5	3345.6	---	
8-12-11	0208	269C-1	BRA	4207.1	3345.6	---	5-6-13	4543.7	3682.2	---	TROUBLESHOOTING
5-6-13	0208	269C-1	BRA	4543.7	3682.2	---	5-16-13	4543.7	3682.2	---	TRACK & BALANCE
5-20-13	0235	269C-1	BRA	4368.1	3682.2	---	8-2-13	4449.8	3763.9	---	INSPECTION
1-13-14	0361	269C-1	BRA	2965.0	3763.9	---					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
ALL A.D.'s COMPLIED WITH THROUGH BETWEEN 2010-2012	INSPECTED AND ACCEPTED IAW 269C-1 HMT SECTION 8, PARA 8.2) EOE DATE# 1000710-01	SCHWEIZER AIRCRAFT	5-10-2010	[Signature] 523745-492

13.

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Damper
 PART NUMBER 269A1290-3
 SERIAL NUMBER 9232

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	6000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT		COMPONENT HOURS	REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW		
11/08/07	0208	269C-1	BAI	1792.3	0.0	—	5-6-13	4543.7	2751.4	—	TROUBLESHOOTING
5-6-13	0208	269C-1	BRA	4543.7	2751.4	—	5-16-13	4543.7	2751.4	—	TRACK & BALANCE
5-20-13	0235	269C-1	BRA	4368.1	2751.4	—	8-2-13	4449.8	2833.1	—	Inspection
1-13-14	0361	269C-1	BRA	2965.0	2833.1	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

Form I-5165 (Rev. 11-21-03)

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Mast
 PART NUMBER 269A2010-15
 SERIAL NUMBER 5 0346

MODEL	269C	269C-1	269D
OVERHAUL	N/A	N/A	N/A
LIFELIMIT	13590	13590	13500

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT		COMPONENT HOURS	REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW		
1/28/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

Form I-5165 (Rev. 04/07/03)

R/H

HISTORICAL SERVICE RECORD

COMPONENT T/B Support Strut
PART NUMBER 269A2015-113
SERIAL NUMBER 50680

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	10700	10700	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/29/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

L/H

HISTORICAL SERVICE RECORD

COMPONENT T/B Support Strut
PART NUMBER 269A2015-113
SERIAL NUMBER 50681

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	10700	10700	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/29/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT Tailboom
 PART NUMBER 269A2320-15
 SERIAL NUMBER 50511

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	4200	4200	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/28/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT Horizontal Stabilizer
 PART NUMBER 269A2516-21
 SERIAL NUMBER 51082

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	4200	4200	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/30/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Thrust Bearing
 PART NUMBER 269A5050-095
 SERIAL NUMBER 4687

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3000	4200	2000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/4/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

Form I-5165 (Rev. 04-09-03)

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Trans. Pinion
 PART NUMBER 269A5103-55
 SERIAL NUMBER 50124 AGC

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	8000	*	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/28/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

Form I-5165 (Rev. 11/21/03)

*See HMI Appendix B, Table B-5 Airworthiness Limitations Section

HISTORICAL SERVICE RECORD

PAGE _____ OF _____

COMPONENT M/R Transmission
 PART NUMBER 269A5175-37
 SERIAL NUMBER 50390

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	4800	3000	4000	*	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/28/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL				
OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Carrier
 PART NUMBER 269A5193-1
 SERIAL NUMBER \$ 1161

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	8000	6000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA						REMOVAL DATA					
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/28/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Hub & (Splined)
 PART NUMBER 269A5325-1
 SERIAL NUMBER \$ 0709

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8000	8000	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA						REMOVAL DATA					
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/4/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT M/R Drive Shaft (Splined)
 PART NUMBER 269A5326-5
 SERIAL NUMBER 20358

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3200	4000	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
7/4/09	0361	269C-1	SCR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT Lwr Pulley Coupling Shaft
 PART NUMBER 269A5559-3
 SERIAL NUMBER 1851

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
7/4/09	0361	269C-1	SCR	0.0	0.0		9-21-11	1773.0	1773.0		INSPECTION
11-8-11	0361	269C-1	BRA	1773.0	1773.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
	MAGNETIC PARTICLE INSPECTION	QC LABS INC	10-5-11	DEREK JAMES CD4R098A

HISTORICAL SERVICE RECORD

PAGE _____ OF _____

COMPONENT T/R Transmission
 PART NUMBER 269A5600-703
 SERIAL NUMBER 50730

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	2400	3000	4200	3000	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/28/89	0361	269C-1	SLR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT T/R Input Shaft
 PART NUMBER 269A5626-5
 SERIAL NUMBER \$1301 AGC

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8600	8600	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
1/22/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT Tail Rotor Assy
 PART NUMBER 269A6034-29
 SERIAL NUMBER \$0399

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/6/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
PART NAME	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
		DATE	ACCUMULATED TIME ON ASSEMBLY OR PART		DATE	ACCUMULATED TIME ON ASSEMBLY OR PART		
PART NUMBER		COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	COMPONENT HOURS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS
NAME: BLADE	\$4318	2/6/09	0.0		N/A			
NO: 269A6035-23		0.0			9,000			
NAME: BLADE	\$4345	2/6/09	0.0		N/A			
NO: 269A6035-23		0.0			9,000			
NAME: STRAP ASSEMBLY	\$2486	2/6/09	0.0		N/A			
NO: 269A6065-507		0.0			5,100			
NAME: HUB	\$1450	2/6/09	0.0		N/A			
NO: 269A6101-5		0.0			ON CONDITION			
NAME: PITCH CONTROL	\$1680	2/6/09	0.0		N/A	11-3-09	593.7	—
NO: 269A6050-5		0.0			ON CONDITION	593.7		
NAME: PITCH CONTROL	\$1500	11-3-09	593.7	—	N/A	5-18-10	2257.9	—
NO: 269A6050-5		2376.0			ON CONDITION	975.6		
NAME: PITCH CONTROL	\$1597	5-18-10	ACT. 975.6	—	N/A	09/14/10		
NO: 269A6050-5		1740.2			ON CONDITION	1191.2		
NAME: Pitch Control	\$1461	9-14-10	COMP 2733.5	—	N/A ON	11-8-11	3315.3	
NO: 269A6050-5		ACT. 1191.2			CONDITION	1773.0		

71-5165

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT _____
 PART NUMBER _____
 SERIAL NUMBER _____

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT					

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL			
OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED	
		BY ACTIVITY	DATE

HISTORICAL SERVICE RECORD

COMPONENT T/R Blade
 PART NUMBER 269A6035-23
 SERIAL NUMBER 54318

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	9000	9000	12000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/6/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT T/R Blade
 PART NUMBER 269A6035-23
 SERIAL NUMBER 54345

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	9000	9000	12000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/6/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT T/R Drive Shaft

PART NUMBER 269A6040-9

SERIAL NUMBER 50578

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	6000	6000	18600	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
8/21/08	0348	269C-1	SZR	0.0	0.0		9/3/08	0.7	0.7		MFR. CONV.
2/10/09	0361	269C-1	SZR	1.3	0.7						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

COMPONENT T/R Retention Strap

PART NUMBER 269A6065-507

SERIAL NUMBER 8 2486

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	2800	5100	5100	5100	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/6/09	0361	269C-1	SZR	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #