Date	Total Time		Time Since Last Overhaul		Engine Service and Maintenance Record		
	Hours	Min	Hours	Min	Record installat Special	Record maintenance actions including engine part removal and notallation and compliance with inspections, Airworthiness Directives	
Carried forward -		→					
30 Dec	2021 N	ISKR Ho	obbs: 20	03.8 Ft	. Eng		
			Serviced		_		
			00 Hr Insp				
Determ	ined To B	e In An	irworthy	Condition	on.		
Richard	Bridges /	4&P 339	2591	noys			
	17	Fob 20	1	n	2020		
	Dra	in Then	Service F	ingine Oi	S: 2020	.8 Fnt Eng: 583.1 s Areoshell W100Plus And CH4108 Oil Filter.	
	Co	mpressio	ns #1-62	/80 #2-80	0/80 #3-	75/80 #4-60/80 #5-67/80 #6-79/80 Clean, Gap	
	An	a Kotate	Spark Plu	igs. Remo	ove Mag	s For Inspection, Installed Mags From Tropic	
	Air	power Fl	orida. Rt	Mag S# [)18EA33	3R Left S#D18DA297R, Engine, Mag Timing	
1 1	201	Degrees	BTC. Engi	ne Grour	id Opera	tion And Leak Check Successful, Oil Filter	
		T TO DE	TOTAL	ııara Brid	iges A&F	3392591 fibered Bridg	
17 Feb 20)) NIEWI	D LIALI	. 2020	0			
17 Feb 20 1 Certify Thi	44 INDKI Frainch	ddon z	s: 2020. dead ^=∵	8 Fnt Ei	ng: 583	.1	
And Was De	termine	d To Bed	n Ap Airw	inspecte erthy Co	a IAW A	Cessna 337 MM Annual Inspection	
		Ru	hase	Buil			
Richard Brid	lges IA 33	92591	/				
- 451 - 20			T	ı			
15 June 20	22 N5KF	₹ Hobbs	s: 2065.	9 Ft. En	g		
 Remove Both S# A2298030 	Magneto R Rt Sid	os And Ir o And S#	Istalled Pa	#10-5005	556-3		
All 12 Spark P	lugs W/N	lew RHM	138E. Mag	neto-Fn	epiaced gine Tim	ing	
 Set 20Deg BT 	C And En	gine Gro	und Oper	ation An	d Leak C	heck	
Successful.			// /	711			
Pichaed Beide	AOD 3	202504	Nilvar	gow	ign		
 Richard Bridge 	es a&P 3:	392591					
			├ 23 J	une 202	22 N5K	R Hobbs: 2077.6 Fr Eng	
						gine W/8 Qts Areoshell W100 Plus And	
			AA48	3108 Oil F	ilter. En	gine Ground Operation And Leak	
				k Succes:		A. C.C.	
						unay pure	
			Richa	ard Bridge	es A&P 3	3392591	
			Richa	ard Bridge	es A&P 3	3392591	
		-	Richa	N5KF	l R Mainter	nance Logbook Entry	
Date:11			Richa 2118.0	N5KF	l R Mainter		
Mainter	ance Perf	ormed:	2118.0	N5KF M	R Mainter odel: P3	nance Logbook Entry 87H SN: P3370335	
Mainter	ance Perf	ormed:	2118.0	N5KF M	R Mainter odel: P3	nance Logbook Entry	
Mainter	nance Perf	ormed:	2118.0	N5KF M FAR43 a	Mainter odel: P3:	D with no defects noted.	
Mainter	rmed 100h	ormed:	2118.0	N5KF M FAR43 ap	R Mainter odel: P3: ppendix E	owith no defects noted. end	
Mainter	rmed 100h	ormed: nour inspectation for the second control of the second cont	2118.0	N5KF M FAR43 al	R Mainter odel: P33 ppendix D aired and n respect	with no defects noted. O with no defects noted. Inspected in accordance with current regulations of the to the work performed is approved for return to service	